

STATE ENGINEER OFFICE
WELL RECORD

Section 1. GENERAL INFORMATION

1978 JUN -7 PM 1:20

(A) Owner of well Lorraine Mooney Owner's Well No. 1
Street or Post Office Address 109 Long Street STATE ENGINEER OFFICE
City and State North Vernon In. 47265 SANTA FE, N.M.

Well was drilled under Permit No. RG-30531 and is located in the:

- a. _____ N _____ W _____ E _____ S _____ of Section _____ Township _____ Range _____ N.M.P.M.
b. Tract No. _____ of Map No. _____ of the _____
c. Lot No. 8 of Block No. 5 of the Taos Mesa Estates
Subdivision, recorded in Taos County.
d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor W.I. Stinebaugh License No. WD 542

Address 2717 Charleston NE Albuquerque N.M. 87110

Drilling Began May 22, 78 Completed May 24, 78 Type tools Spudder Size of hole 6 5/8 in.

Elevation of land surface or 7100 at well is 7100 ft. Total depth of well 130 ft.

Completed well is shallow artesian. Depth to water upon completion of well _____ ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
60	65	5	Sand, Gravel	5
125	130	5	Sand, Gravel	10

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
6 5/8	13	Welded	+1 1/2	130	131 1/2	None	114	127

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				

Section 5. PLUGGING RECORD

Plugging Contractor _____

Address _____

Plugging Method _____

Date Well Plugged _____

Plugging approved by: _____

State Engineer Representative

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

STATE ENGINEER OFFICE
 DISTRICT NO. 1
 ALBUQUERQUE, N.M.
 78 MAY 31 P 1:43

FOR USE OF STATE ENGINEER ONLY

Date Received May 31, 1978

Quad _____ FWL _____ FSL _____


File No. RG-30531 Use domestic Location No. TAOS MESA ESTS. Lot 8
Bk 5 (Taos)

Section 6. LOG OF HOLE

Depth in Feet		Thickness in Feet	Color and Type of Material Encountered
From	To		
0	2	2	Brown, Top soil
2	16	14	Grey, Caliche
16	60	44	Tan, Sand, Clay
60	65	5	Grey, Sand, Gravel
65	125	60	Tan, Sand, Clay
125	130	5	Grey, Sand, Gravel

Section 7. REMARKS AND ADDITIONAL INFORMATION

The undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above described hole.


 Driller

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.