

STATE ENGINEER OFFICE  
WELL RECORD

Section 1. GENERAL INFORMATION

1. Owner of well G Michael Tarleton Owner's Well No. \_\_\_\_\_  
 Street or Post Office Address P.O. Box 2234  
 City and State Taos NM 87571

Well was drilled under Permit No. R 8-89817 and is located in the:  
 1. \_\_\_\_\_ N \_\_\_\_\_ W \_\_\_\_\_ W \_\_\_\_\_ W of Section \_\_\_\_\_ Township \_\_\_\_\_ Range \_\_\_\_\_ N.M.P.M.  
 2. Tract No. \_\_\_\_\_ of Map No. \_\_\_\_\_ of the \_\_\_\_\_  
 3. Lot No. \_\_\_\_\_ of Block No. \_\_\_\_\_ of the \_\_\_\_\_  
 Subdivision, recorded in \_\_\_\_\_ County.  
 4. X = 4831.311 feet, Y = 1992523 feet, N.M. Coordinate System Central Zone in  
 the Antone Leroux / Antonio Martinez (Taos County) Grant

5. Drilling Contractor Fennell Drilling Co License No. W 0987  
 Address P.O. Box 480 Arroyo Hondo NM 87513  
 Drilling Began 10-26-07 Completed 11-2-07 Type tools rotary Size of hole 9 7/8 in.  
 Elevation of land surface or \_\_\_\_\_ at well is \_\_\_\_\_ ft. Total depth of well 480 ft.  
 Completed well is  shallow  artesian. Depth to water upon completion of well 64 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
350	480	130	sand/gravel + clay shingles	25+

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
6 7/8	5.45	Ball	+2	4			350	400
10 7/8	10	weld	12	40	40		400	420
							420	440
							440	480

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				
32	60	9 7/8	20		gravity

Section 5. PLUGGING RECORD

Plugging Contractor \_\_\_\_\_  
 Address \_\_\_\_\_  
 Plugging Method \_\_\_\_\_  
 Date Well Plugged \_\_\_\_\_  
 Plugging approved by: \_\_\_\_\_  
 State Engineer Representative

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

OFFICE OF STATE ENGINEER  
 SANTA FE, NEW MEXICO  
 2007 NOV -8 AM 10:46

FOR USE OF STATE ENGINEER ONLY

Date Received  
TRN 389938

Section 6. LOG OF HOLE

Depth in Feet		Thickness in Feet	Color and Type of Material Encountered
From	To		
0	1	1	clay
1	19	18	cobbles & sand
19	21	2	Tan clay
21	450	429	sandy clay & gravel
			Loose gravel 400-420

Section 7. REMARKS AND ADDITIONAL INFORMATION

36 D 28 m 355  
 105 D 36 m 005

I, the undersigned hereby certifies that, to the best of his knowledge and belief, the foregoing is a true and correct record of the above log hole.

Dr.  
 \_\_\_\_\_

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the Bureau of Reclamation.

John R. D Antonio, Jr., P.E.  
State Engineer



Santa Fe Office  
PO BOX 25102  
SANTA FE, NM 87504-5102

STATE OF NEW MEXICO

Trn Nbr: 389938  
File Nbr: RG 89817  
Well File Nbr: RG 89817 POD1

OFFICE OF THE STATE ENGINEER

Nov. 09, 2007

G MICHAEL TARLETON  
PO BOX 2234  
TAOS, NM 87571

Greetings:

Enclosed is your copy of the well record for the above numbered permit, which has been accepted for filing.

Sincerely,

A handwritten signature in cursive script, appearing to read "Angie Rodriguez".

Angie Rodriguez  
(505) 827-6120

Enclosure  
cc: Albuquerque Office

wellrrcv